

# Animal Health & Property Disease Status Vendor Declaration - Japan Feeder Cattle



The vendor must complete ALL sections of this declaration that refer to the consigned cattle before emailing [jim@ausidore.com](mailto:jim@ausidore.com) and/or attaching to the NVD / waybills and handed to truck driver for carriage to the pre-export registered premises.

Current AND Previous Property(s) of Origin	List All Current & Previous PIC (s)	No. of Head	Sex <sup>3</sup>	Birth Month(s)	Registered Sire(s) Name(s), ID(s) or DNA(s)
			M-		

1. BOP: Born on Property, cattle not BOP must show ALL previous PICs and arrival date; 2. Category: (B) Breeder (F) Feeder (S) Slaughter; 3. Sex: (M) Male (M-) Male Castrate (F) Female (F-) Female Castrate

## **Declaration**

I, \_\_\_\_\_ (name BLOCK LETTERS), being the authorised management representative of \_\_\_\_\_ (vendor /property name)

declare that, to the best of my knowledge, the animals described above meet the following requirements:-

### **IMPORTING COUNTRY REQUIREMENTS**

1. All animals are either born on this property OR **I have listed ALL PICs the animals have ever been raised or resided on.**
2. The cattle to be exported are NLIS identified, retain lifetime traceability and are registered on the NLIS database to correspond with the PIC on which they currently reside and is listed above.
3. The cattle described above were **born, raised and have been continuously resident in areas officially free from Cattle Tick** and Anaplasmosis/Babesiosis (Tick Fever) and have never been vaccinated for Tick Fever.
4. The cattle have not been vaccinated against brucellosis.
5. There has been no clinical, microbiological, or serological evidence of Johne's Disease(BJD) and/or Enzootic Bovine Leucosis (EBL) on the farm(s) of origin for at least 5 years prior to delivery of these livestock to quarantine.
6. There has been no clinical, microbiological or serological evidence of bluetongue, melioidosis, tuberculosis, brucellosis, blackleg, campylobacteriosis, trichomoniasis and leptospirosis on the farm(s) of origin for the 12 months before delivery to pre-export quarantine.
7. No lame, blind, injured, sick, or substituted animals will be loaded on road transport to the loading facility. (see [MLA Fit to Load Guidelines](#) available on our website)
8. During transport to the pre-export registered premises, these animals were/will be isolated from all other animals not in this consignment.
9. I further declare that the animals have never been fed with any kind of processed animal products excluding milk proteins;
10. No ruminant imported into Australia has been introduced to the property during the last five years

## AUSTRALIAN STANDARDS FOR EXPORT OF LIVESTOCK(ASEL) REQUIREMENTS

11. Animals comply with all relevant state/territory health and welfare legislation and national codes of practice regarding animal welfare, on-property management and land transport.
12. When transported to the registered premises, all cattle must be accompanied by a correctly completed and signed NVD as to the identification of the livestock and the property of source.
13. Dehorning and tipping wounds are healed prior to transport.
14. Animals have been inspected and do not show signs of any of the rejection criteria listed in Table 1(see Attached)
15. The cattle have been weaned at least 14 days prior to supply for export.
16. Cattle have a body condition score of 2-5 (on a scale of 1-7).
17. The land transport of livestock must meet the Land Transport Standards, as well as any relevant animal health and welfare and road transport requirements under state and territory legislation and relevant requirements under national animal welfare standards and guidelines, and model codes of practice
18. The maximum water deprivation time and minimum rest times in the Land Transport Standards must be adhered to for all land transport of livestock.
19. I authorise the release of information needed for property of origin and health certifications from the relevant government departments.

### TREATMENT HISTORY

The cattle have received the following treatments / vaccinations within the past 12 months:

Name of Treatment / Vaccination	Date (approx. if not known)	Batch No. (if known)	Expiry (if known)

Signature (Manager): \_\_\_\_\_

Date: \_\_\_\_\_

Name (BLOCK LETTERS): \_\_\_\_\_

Phone: \_\_\_\_\_

Property Address: \_\_\_\_\_

Email: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**Table 1 ASEL Rejection criteria for all species by sea**

Category	Rejection criteria
General requirements	<ul style="list-style-type: none"><li>• Failure to meet importing country requirements including sex or breed if specified</li><li>• Pregnancy status not confirmed as appropriate for export</li><li>• Lactating animals/lactating animals with young at foot</li><li>• Viral diseases such as scabby mouth or infectious bovine rhinotracheitis</li><li>• Animals displaying clinical signs of infectious or contagious disease or external parasites</li><li>• Animals showing signs of injury such as but not limited to fractures or swelling</li></ul>
Systemic conditions	<ul style="list-style-type: none"><li>• Body condition score not appropriate for export (such as emaciated or over-fat)</li><li>• Anorexia (inappetence or 'shy feeders')</li><li>• Uncoordinated, collapsed, weak</li><li>• Unwell, lethargic, dehydrated</li><li>• Ill-thrift</li></ul>
Gastrointestinal system	<ul style="list-style-type: none"><li>• Dysentery or profuse diarrhoea</li><li>• Bloat</li></ul>
Musculoskeletal system	<ul style="list-style-type: none"><li>• Abnormal gait or lameness of any kind</li><li>• Abnormal soft tissue or bony swellings</li></ul>
Nervous system	<ul style="list-style-type: none"><li>• Nervous symptoms such as head tilt, circling, incoordination</li><li>• Abnormal or aggressive behaviour/intractable or violent</li></ul>
External/skin	<ul style="list-style-type: none"><li>• Generalised papillomatosis or generalised ringworm or dermatophilosis</li><li>• Generalised and extensive buffalo fly lesions</li><li>• Generalised skin disease or infection</li><li>• External skin cancer</li><li>• Lacerations that penetrate the full thickness of the dermis or are likely to affect the health or welfare of the animal</li><li>• Discharging wounds or abscesses</li><li>• Cutaneous myiasis (flystrike)</li><li>• Ballanitis (pizzle rot in sheep)</li><li>• Blood/abnormal discharge from reproductive tract (vulva/prepuce)</li><li>• Visible external parasites</li></ul>
Head	<ul style="list-style-type: none"><li>• Blindness in 1 or both eyes</li><li>• Cancer eye</li><li>• Keratoconjunctivitis (pink eye)</li><li>• Excessive salivation</li><li>• Nasal discharge consistent with signs of a contagious or infectious disease</li><li>• Coughing consistent with signs of a contagious or infectious disease</li><li>• Respiratory distress or difficulty breathing</li><li>• Sharp horns</li><li>• Horns causing damage to the head or eyes</li><li>• Bleeding horn stumps or broken antlers</li><li>• Horns longer than appropriate for export</li><li>• Scabby mouth</li></ul>
Other	<ul style="list-style-type: none"><li>• Groups of animals with unusual mortalities</li><li>• Disparities in sex, size, weight or age that could cause an issue with the health or welfare of the animals (redraft animals in this case)</li></ul>